

| PO No | Supplier | Line Item No | Rel No | Terms | Purchased Item | Description | For Part No | Project | Equipment ID | Order Qty | Due Date | Received Quantity | Accounting Job No | Serial No | Status | Receive Date | Price/Unit | Aging Days | Past Due | Total | Supplier Name |
|----------|-----------|--------------|--------|--------|------------------|---|-------------|---------|--------------|-----------|------------|-------------------|-------------------|-----------|--------|--------------|---------------|------------|----------|----------|----------------------|
| PO038389 | ACI001-VC | 3 | 1 | Net 30 | M303B0.250X4.000 | M303 Bar 0.250 Thick x 4.000 Wide : MATERIAL: AISI 303 SS BAR AS PER ASTM A582 NOTE: AISI 304/316 NOT ACCEPTABLE receive ft | | | | 12 | 11/27/2017 | 11.3/12 | | S018037 | Stock | 12/6/2017 | \$ 41.25 / ft | 0 | | \$486.75 | Acier Ouellette Inc. |
| | | 4 | | | M7075T6R0.750 | M7075T6R0.750 : MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ROUND BAR AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4124/4186/4187 OR PER AMS QQ-A-200/11 receive ft | | | | | | 12 | | S018038 | Stock | 12/6/2017 | \$ 19.17 / ft | 0 | | \$230.00 | Acier Ouellette Inc. |
| Total: | | | | | | | | | | 24 | | 24 | | | | | | | | \$565.95 | |

Plex 12/6/2017 11:22 AM Dart.Plouffe.Sonia

Status: Receiving

 Part: **M7075T6R0.750**

Created: 12/6/17 11:21 AM DART.PLOUFFE.SI


 Serial No: **S018038**

Status: Receiving

 Part: **M303B0.250X4.00**

Created: 12/6/17 11:21 AM DART.PLOUFFE.SI


 Serial No: **S018037**



DELIVERY - CLIENT

CO00062431

ACIER OUELLETTE INC.

935, Boul. du Hâvre
Salaberry de Valleyfield (Québec) J6S 5L1
Tél.: 450-377-4248 Mt: 514-336-4248 Ext.: 800-667-4248
Fax: 450-377-5696 Mt: 514-336-4246 Ext.: 866-456-4242

Customer N°

CL10001056

Date

2017/11/16

Delivery date

2017/11/30

Your order N°

038389

Processed by

Josianne Bourdon

Salesman

Carrier

OUELLETTE VALLEYFIELD

Credit Terme

Net 30 Days

Billed to

DART AEROSPACE LTD

1270, ABERDEEN ST.
HAWKESBURY, Ontario, K6A 1K7

Shipped to

, Ontario,

Att : CHANTAL LAVOIE Tél.: 613-632-5200

Instruction F-M

Delivery Route 5

Page

1

| Product Description | Weight | Qty | U/M | PCS NB | | | Internal Use Only | | | |
|--|--------|-------|----------|--------|------------|-----|-------------------|---|---|---|
| | | | | CMD | EXP | B/O | IN | I | S | C |
| 1 FLAT SS 1/4 X 4 SS303 NS FSS-144303 9485 1 X 12' R/L AC11327-JG-29/11 | 41.00 | 12.00 | PL_\$CLB | | 1X 118" | | | | | |
| 2 ROUND ALU 3/4 7075 NS RAL-347075 9392 1 X 12' R/L AC11327-JG-29/11 | 6.28 | 12.00 | PL_\$CLB | | 1X 12' | | | | | |

877-De.

Total Weight (Lbs) : 47.28

NIR : R-109516-6

Conditions :
All sold and delivered materials remain the property of "Acier Ouellette Inc" until payment is made in full, complete and cashed. All lost materials are at the buyer's expense. The warranty offered by "Acier Ouellette Inc." is the same as offered and honored by the manufacturer and his warranty is transferred by "Acier Ouellette Inc." to the client. The buyer hereby accepts to respect the following conditions: Net 30 days from billing date and the buyer accepts to pay administration charges of 2% per month (24% per annum) on all past due amounts over 30 days. Any default in respect with this contract will lead to payment by acceleration and permits to the seller, at his choice to claim for the balance due or the repossession of the goods sold. All claims must be made within five (5) days with this document enclosed. Any merchandise that has been damaged, cut or modified cannot be returned. All goods returned must be with our authorization and are subject to a 25% restocking charge.

| | | | |
|-------------------------|--------------------------|-------------------------|----------------------|
| Prepared By: <i>WPH</i> | Verified By: <i>M/am</i> | Delivered By: <i>NA</i> | Time |
| Customer's Signature | | | Date <i>11/17/16</i> |

Total (\$CAD)



ACIER OUELLETTE INC.

Order - Sales

Copy

CO000062431

935, Boul. du Hâvre
Sableury de Valleyfield (Québec) J6S 5L1
Tél.: 450-377-4248 Mtl: 514-336-4248 Ext.: 800-667-4248
Fax: 450-377-5696 Mtl: 514-336-4246 Ext.: 866-456-4242

Customer N°

CL10001056

Date

2017/11/16

Delivery date

2017/11/30

Your order N°

038389

Processed by

Josiane Bourdon

Salesman

Carrier

OUELLETTE VALLEYFIELD

Credit Terme

Net 30 Days

Billed to

DART AEROSPACE LTD

1270, ABERDEEN ST.
HAWKESBURY, Ontario, K6A 1K7

Shipped to

, Ontario,

Att: CHANTAL LAVOIE Tél.: 613-632-5200

Delivery Route 5

Page

1

| Product Description | Weight | Qty | U/M | PCS NB | | | Internal Use Only | | | | |
|---|--------|-------|----------|--------|-----|-----|-------------------|---|---|---|-----|
| | | | | CMD | EXP | B/O | IN | I | S | C | OUT |
| | | | | | | | | | | | |
| 1 FLAT SS 1/4 X 4 SS303 NS FSS-144303 9485 1 X 12' R/L HEAT: <u>504089</u> AC11327-16-29/11 | 41.00 | 12.00 | PL_\$CLB | 1.00 | | | | | | | |
| 2 ROUND ALU 3/4 7075 NS RAL-347075 9392 1 X 12' R/L HEAT: <u>10059054</u> AC11327-16-29/11 | 6.28 | 12.00 | PL_\$CLB | 1.00 | | | | | | | |
| Total Weight (lbs): 47.28 | | | | | | | | | | | |

Total Weight (lbs): 47.28

NIR: R-109516-6

Conditions: All sold and delivered materials remain the property of "Acier Ouellette Inc." until payment is made in full, complete and cashed. All lost materials are at the buyer's expense. The warranty offered by "Acier Ouellette Inc." is the same as offered and honored by the manufacturer and his warranty is transferred by "Acier Ouellette Inc." to the client. The buyer hereby accepts to respect the following conditions: Net 30 days from billing date and the buyer accepts to pay administration charges of 2% per month (24% per annum) on all past due amounts over 30 days. Any default in respect with this contract will lead to payment by acceleration and permits to the seller, at his choice to claim for the balance due or the repossession of the goods sold. All claims must be made within five (5) days with this document on hand. Any merchandise that has been damaged, cut or modified cannot be returned. All goods returned must be with our authorization and are subject to a 25% restocking charge.

Prepared By :

Verified By :

Delivered By : Time

Customer's Signature

Y

M

D

Total (\$CAD)

819.25

Deposit

0.00

Balance

819.25



Dart Hawkesbury
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER PO038389

Supplier: ACI001-VC
Acier Ouellette Inc.
935 Boul. Du Havre
Valleyfield
QC
J6S 5L1 Canada
Phone: 800 667 4248
Fax: 450 377 5696

PO No: PO038389
PO Date: 11/16/17
Due Date: 11/27/17
Purchase Order
Revision:
Revision Date:
Ship-To Contact: Phone:

E-MAILED
NOV 16 2017

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

Via: Ground
Pymt Terms: Net 30
Freight Terms:
Special Comments: quotation no. sou0071175

Items

| Line Item | Part | Rev | Description | Item Tax | Status | Due Date | Order Quantity | Received Quantity | Balance | Unit Price (CAD) | Extended Price |
|-----------|-----------------------|-----|--|----------|--------|----------|----------------|-------------------|---------|------------------|----------------|
| 1 | M304B0.625X3.000 | - | 304 Bar .625 X 3.00 : MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE AS PER ASTM A276 OR ASTM A240 NOTE: AISI 303 NOT ACCEPTABLE receive ft | | Firmed | 11/23/17 | 36 ft | 0 ft | 36 ft | \$25.19777/ft | \$907.12 |
| 2 | MT-A513-T-2.625W0.250 | ✓ | A513 Seamless Alloy Steel Round Tubing 2.625"dia. x 0.250" Wall | | Firmed | 11/23/17 | 12 ft | 0 ft | 12 ft | \$34.00/ft | \$408.00 |
| 3 | M303B0.250X4.000 | ✓ | M303 Bar 0.250 Thick x 4.000 Wide : MATERIAL: AISI 303 SS BAR AS PER ASTM A582 NOTE: AISI 304/316 NOT ACCEPTABLE receive ft | | Firmed | 11/27/17 | 12 ft | 0 ft | 12 ft | \$41.25/ft | \$495.00 |
| 4 | M7075T6R0.750 | ✓ | M7075T6R0.750 : MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ROUND BAR AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4124/4186/4187 OR PER AMS QQ-A- 200/11 receive ft | | Firmed | 11/27/17 | 12 ft | 0 ft | 12 ft | \$19.16666/ft | \$230.00 |

Grand Total: \$2,040.12

Order Notes

Procurement Quality Clauses
A005 right of entry
A012 chemical and physical test report
A016 personnel qualification
A017 raw material identification (as applicable)
A026 certification of material conformance



Dart Hawkesbury
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER PO038389

Order Notes

A041 quality management system
A042 dart notification by supplier
A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program

A049 supplier awareness

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 11/16/17 3:13 PM dart.lavoie.chantal

**ACIER OUELLETTE INC.**

935, Boul. du Havre
Salaberry de Valleyfield (Québec) J6S 5L1
Tél.: 450-377-4248 Mtl: 514-336-4248 Ext.: 800-667-4248
Fax: 450-377-5696 Mtl: 514-336-4246 Ext.: 866-456-4242

Quotation

SOU0071175

Billed to

DART AEROSPACE LTD
1270, ABERDEEN ST.
HAWKESBURY, Ontario, K6A 1K7

Shipped to

, Ontario,

Att : CHANTAL LAVOIE Tél.: 613-632-5200

Customer N° CLI0001056
Date 2017/11/15
Revision N° 0
Prices valid until 2017/11/22
Your Order N°
Processed by BERNARD
Salesman JOSIANNE
Carrier OUELLE SDV
Credit Terms Net 30 Days
Page 1

| Product N° and description | Weight | Qty | U/M | Qty | U/M | Price | Pcs Nb | Price | Amount |
|--|--------|-------|----------|-------|-----|-------|--------|---------|--------|
| FLAT SS 5/8 X 3 SS304 NS FSS-583 9221 3 X 12' R/L 2-3 DAYS | 229.68 | 36.00 | PI_\$CLB | 36.00 | PI | | 3.00 | 302.373 | 907.12 |
| TUBE MEC 2.625 OD X .250 RANDOM NS TME-2625250-V 8807 1 X 12' 2-3 DAYS | 76.09 | 12.00 | PI | 12.00 | PI | | 1.00 | 408.000 | 408.00 |
| PLAT SS303 1/4 X 4 N 1 X 12' R/L A582 7-10 DAYS | 0.00 | 1.00 | UN | 1.00 | UN | | 1.00 | 495.000 | 495.00 |
| ROND 7075-T6 3/4 N 1 X 12' R/L 4-7 DAYS | 0.00 | 1.00 | UN | 1.00 | UN | | 1.00 | 230.000 | 230.00 |

Total Weight (Lbs) 305.77**Important**

This offer is based on availability and current pricing conditions that may be revised upon
présentation of the order. L'offre est basée sur la disponibilité et les conditions de prix de l'acier sur le marché.
This offer is subject to the conditions of credit approval.

Approved and Accepted by : _____

Date : _____

Sub-total 2 040.12

TVH-13 · 265.22

Total (\$CAD) 2 305.34

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M303B0.250x4.000

PO / BATCH NO.: 038389/5018037

DATE: DEC 08 2017

MATERIAL CERT REC'D: Yes
 QUANTITY RECEIVED: 12'
 QUANTITY INSPECTED: 12'
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 0.250
 THICKNESS RECEIVED: 0.250
 SHEET SIZE ORDERED: N/A
 SHEET SIZE RECEIVED: N/A

| DESCRIPTION | NCR (Check Y/N) | COMMENTS |
|--|--|---------------------|
| SURFACE DAMAGE | Y <input checked="" type="radio"/> N | |
| CORRECT FINISH | <input checked="" type="radio"/> Y <input type="radio"/> N | |
| CORROSION | Y <input checked="" type="radio"/> N | |
| CORRECT GRAIN DIRECTION | <input checked="" type="radio"/> Y <input type="radio"/> N | |
| CORRECT MATERIAL PER M-DRAWING | <input checked="" type="radio"/> Y <input type="radio"/> N | <u>Astm A582</u> |
| CORRECT THICKNESS | <input checked="" type="radio"/> Y <input type="radio"/> N | |
| PHOTO REQUIRED | Y <input checked="" type="radio"/> N | |
| CORRECT REF # TO LINK CERT | <input checked="" type="radio"/> Y <input type="radio"/> N | <u>Heat# 504089</u> |
| CORRECT MATERIAL IDENTIFICATION | <input checked="" type="radio"/> Y <input type="radio"/> N | |
| CORRECT M# ON THE MATERIAL | <input checked="" type="radio"/> Y <input type="radio"/> N | |
| DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF | Y <input checked="" type="radio"/> N | |
| DOES THIS REQUIRE AN EXTRUSION REPORT | Y <input checked="" type="radio"/> N | |

| CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW | | | | | |
|--|-----|-----|-------|-------|---------|
| | HRC | HRB | DUR A | DUR D | WEBSTER |
| TYPE OF MATERIAL | | | | | |
| SIZE OF TEST SAMPLE | | | | | |
| HARDNESS / DUROMETER READING | | | | | |

testers located in the Quality Office

| QC 18 INSPECTION | ENGINEERING SIGNOFF (if required) |
|--|-------------------------------------|
| INSPECTED BY: <u>PD 11.12.08</u> DATE: <u>DEC 08 2017</u> | SIGNED OFF BY: _____ DATE: _____ |

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

SPECIFICATION CONTROL DRAWING

PURCHASE MATERIAL: AISI 303 SS BAR
(NOTE: AISI 304/316 NOT ACCEPTABLE)

SPECIFICATION:

ASTM A582

PART NUMBER:

M303B T.TTT X WWW.WWW
THICK WIDTH

WHERE "T.TTT" = THICKNESS IN INCHES
AND "WWW.WWW" = WIDTH IN INCHES

EG. 0.5" x 3.0" BAR = M303B0.500X03.000

RELEASED
R 2010-02-02
MP

| | | | |
|--|------------------------------------|----|----------|
| B | REFORMAT DWG. ADD SPECS (ZN DB-1). | CP | 10 01 05 |
| A | NEW ISSUE | DS | 02 05 29 |
| REV. | DESCRIPTION | BY | DATE |
| DESIGN | | | |
| DRAWN | | | |
| CHECKED | | | |
| MFG. APPR. | | | |
| APPROVED | | | |
| DE APPR. | | | |
| DATE | 10.01.05 | | |
| <p>DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA</p> <p>DRAWING NO. M303B</p> <p>TITLE 303 BAR</p> <p>REV. B SHEET 1 OF 1</p> <p>SCALE NTS</p> <p>DATE 10.01.05</p> <p>CONTINUED & PART BY DART AEROSPACE LTD THIS DOCUMENT IS THE PROPERTY OF DART AEROSPACE LTD. IT IS NOT TO BE USED FOR ANY PURPOSES OR FOR ANY OTHER PERSON WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE LTD.</p> | | | |

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M7075T6R 0.750
 DATE: DEC 08 2017

PO / BATCH NO.: 038389/5018038

MATERIAL CERT REC'D: Yes
 QUANTITY RECEIVED: 12'
 QUANTITY INSPECTED: 12'
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 0.750
 THICKNESS RECEIVED: 0.750
 SHEET SIZE ORDERED: N/A
 SHEET SIZE RECEIVED: N/A

| DESCRIPTION | NCR (Check Y/N) | COMMENTS |
|--|--------------------------------------|-----------------|
| SURFACE DAMAGE | Y <input checked="" type="radio"/> N | |
| CORRECT FINISH | <input checked="" type="radio"/> Y N | |
| CORROSION | Y <input checked="" type="radio"/> N | |
| CORRECT GRAIN DIRECTION | <input checked="" type="radio"/> Y N | |
| CORRECT MATERIAL PER M-DRAWING | <input checked="" type="radio"/> Y N | Am5 QQ A 225/9 |
| CORRECT THICKNESS | <input checked="" type="radio"/> Y N | |
| PHOTO REQUIRED | Y <input checked="" type="radio"/> N | |
| CORRECT REF # TO LINK CERT | <input checked="" type="radio"/> Y N | Heat # 10059034 |
| CORRECT MATERIAL IDENTIFICATION | <input checked="" type="radio"/> Y N | |
| CORRECT M# ON THE MATERIAL | <input checked="" type="radio"/> Y N | |
| DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF | Y <input checked="" type="radio"/> N | |
| DOES THIS REQUIRE AN EXTRUSION REPORT | Y <input checked="" type="radio"/> N | |

| CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW | | | | | |
|--|-----|-----|-------|-------|---------|
| | HRC | HRB | DUR A | DUR D | WEBSTER |
| TYPE OF MATERIAL | | | | | |
| SIZE OF TEST SAMPLE | | | | | |
| HARDNESS / DUROMETER READING | | | | | |

testers located in the Quality Office

| QC 18 INSPECTION | ENGINEERING SIGNOFF (if required) |
|--|-------------------------------------|
| INSPECTED BY: <u>PD 17.12.08</u> DATE: <u>DEC 08 2017</u> | SIGNED OFF BY: _____ DATE: _____ |

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



| | | | |
|----------------------|--------------------------------|---|------------------------|
| DESIGN <i>BC</i> | DRAWN BY <i>BC</i> | DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA | |
| CHECKED <i>BC</i> | APPROVED <i>[Signature]</i> | DRAWING NO. M7075T6R | REV. A SHEET 1 OF 1 |
| DATE 07.07.12 | | TITLE 7075-T6 ROUND BAR | SCALE NTS |
| A | 07.07.12 | NEW ISSUE | |

RELEASED
07.11.28 *MP*

PURCHASE MATERIAL: 7075-T6 (OR T651/T6510/T6511/T652/T62) ROUND BAR
PER AMS-QQ-A-225/9 (OR AMS 4122/4123/4124/4186/4187) OR
PER AMS-QQ-A-200/11 *MP*

PART NUMBER: M7075T6RD.DDD WHERE D.DDD = DIAMETER (IN INCHES)

EG. 5/8 ROUND BAR = M7075T6R0.625

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

CERTIFICATE OF TEST CERTIFICAT D'ESSAIS

CO. 64231
DART

Page 01 of 01

Certification Date
29-NOV-2017

CUSTOMER ORDER NUMBER
NUMÉRO DE COMMANDE DU CLIENT

Invoice Number
T372969

AC00011327
PART NUMBER/NUMÉRO DE PIÈCE

SOLD TO: ACIER OUELLETTE INC. SHIP TO: ACIER OUELLETTE INC.
VENDU À: DIVISION SALABERRY DE VALLEYFIELD DIVISION SALABERRY DE VALLEYFIELD
935, BOUL. DU HAVRE 935, BOUL. DU HAVRE
SALABERRY-DE- VALLEYFIELD QC J6S 5L1 SALABERRY-DE- VALLEYFIELD QC J6S

Description: 303 HRAP BAR ASTM A582
1/4 X 4 PLAT X 12' R/L Line Total: 42 LB
HEAT: 504089 ITEM: 511133

Specifications:
AMS 5640 TYPE 1 U
ASTM A484 15
ASTM A582 12
QQS 764 B

CHEMICAL ANALYSIS

| | | | | | | | |
|-------|-------|-------|--------|--------|--------|-------|-------|
| C | SI | MN | P | S | CR | NI | MO |
| 0.046 | 0.437 | 1.664 | 0.0305 | 0.2747 | 17.084 | 8.235 | 0.352 |
| CO | N | CU | | | | | |
| 0.193 | 0.024 | 0.494 | | | | | |

RCPT: R758124

COUNTRY OF ORIGIN : GERMANY

MECHANICAL PROPERTIES


| DESCRIPTION | YLD STR | ULT TEN | %ELONG | %RED | HARDNESS |
|-------------|---------|---------|----------|---------|----------|
| | PSI | PSI | IN 02 IN | IN AREA | BHN |
| | 44080.0 | 90045.0 | 58.4 | 59.9 | 182 |

MATERIAL IS FREE FROM MERCURY CONTAMINATION
NO WELD REPAIR PERFORMED ON MATERIAL
MACRO: OK
MICRO: OK

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. /Les informations ci-haut-mentionnées sont transcrites du certificat d'essais du manufacturier après vérification de l'état complet des spécifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. /Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. /Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

Material did not come in contact with mercury while in our possession. /Par les présentes, nous certifions que le matériel couvert par ce rapport n'a rencontré les spécifications décrites ci-haut.

JOANNE DESPRES


MANAGER QUALITY ASSURANCE
GÉRANT DE L'ASSURANCE QUALITÉ

CERTIFICATE OF TEST CERTIFICAT D'ESSAIS

Page 01 of 02

Certification Date
29-NOV-2017

CUSTOMER ORDER NUMBER
NUMÉRO DE COMMANDE DU CLIENT

Invoice Number
T372968

AC00011327
PART NUMBER/NUMÉRO DE PIÈCE
513236

SOLD TO: ACIER OUELLETTE INC. SHIP TO: ACIER OUELLETTE INC.
VENDU À: DIVISION SALABERRY DE VALLEYFIELD DIVISION SALABERRY DE VALLEYFIELD
935, BOUL. DU HAVRE 935, BOUL. DU HAVRE
SALABERRY-DE- VALLEYFIELD QC J6S 5L1 SALABERRY-DE- VALLEYFIE QC J6S

Description: 7075-T651 CF BAR AMS QQ A 225/9, QQ A 225/9
3/4 RD X 12" Line Total: 6.444 LB
HEAT: 10059054 ITEM: 513236

Specifications:
QQ A 225/9 E
AMS 4122 L

ASTM B211 12
AMS QQ A 225/9 A
AMS 4123 H
ISO 9001

ALUMINIUM CHEMICAL ANALYSIS

DESCRIPTION:

| | SI | FE | CU | MN | MG | CR | ZN | TI |
|-----|-----|-----|-----|-----|-----|------|-----|-----|
| MIN | | | 1.2 | | 2.1 | 0.18 | 5.1 | |
| MAX | 0.4 | 0.5 | 2.0 | 0.3 | 2.9 | 0.28 | 6.1 | 0.2 |

OTHERS : EACH TOTAL
0.05 0.15 AL REMAINDER

RCPT: R932290

COUNTRY OF ORIGIN : USA


MECHANICAL PROPERTIES

| DESCRIPTION | YLD STR KSI | ULT TEN KSI | %ELONG IN 02 IN | %RED IN AREA | HARDNESS |
|-------------|----------------|----------------|--------------------|-----------------|----------|
| | 77.2 | 83.6 | 18.0 | | |
| | 76.0 | 82.9 | 18.0 | | |

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. /Les informations ci-haut-mentionnées sont transcrites du certificat d'essais du manufacturier après vérification de l'état complet des spécifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. /Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. /Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

Material did not come in contact with mercury while in our possession. /Par les présentes, nous certifions que le matériel couvert par ce rapport n'a rencontré les spécifications décrites ci-haut.

JOANNE DESPRES


MANAGER QUALITY ASSURANCE
GÉRANT DE L'ASSURANCE QUALITÉ

CERTIFICATE OF TEST CERTIFICAT D'ESSAIS

Page 02 of 02

Certification Date
29-NOV-2017

CUSTOMER ORDER NUMBER
NUMÉRO DE COMMANDE DU CLIENT
AC00011327

Invoice Number
T372968

PART NUMBER/NUMÉRO DE PIÈCE
513236

| | | | |
|----------|--------------------------------------|------------|-----------------------------------|
| SOLD TO: | ACIER OUELLETTE INC. | SHIP TO: | ACIER OUELLETTE INC. |
| VENDU À: | DIVISION SALABERRY DE VALLEYFIELD | EXPÉDIÉ À: | DIVISION SALABERRY DE VALLEYFIELD |
| | 935, BOUL. DU HAVRE | | 935, BOUL. DU HAVRE |
| | SALABERRY-DE- VALLEYFIELD QC J6S 5L1 | | SALABERRY-DE- VALLEYFIE QC J6S |

Description: 7075-T651 CF BAR AMS QQ A 225/9, QQ A 225/9
3/4 RD X 12' Line Total: 6.444 LB

HEAT: 10059054 ITEM: 513236

MATERIAL IS FREE FROM MERCURY CONTAMINATION

COMMENTS

MATERIAL MEETS T6 TEMPER REQUIREMENTS

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. /Les informations ci-haut-mentionnées sont transcrites du certificat d'essais du manufacturier après vérification de l'état complet des spécifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. /Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. /Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

Material did not come in contact with mercury while in our possession. /Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

Joanne Desrosiers

MANAGER QUALITY ASSURANCE
GÉRANT DE L'ASSURANCE QUALITÉ